





# Ranger Series 6

# Providing you with more for less





### Ranger Series 6 Providing you with more for less

Ranger has been instrumental in bringing the joys of a touring caravan holiday to a wider audience for over a decade, providing a range of well designed, well equipped yet affordable vehicles for a new generation of caravanners. Series 6 continues very much in the same vein with a line-up offering a choice of six layouts including the new compact end kitchen Ranger 380/2 and single axle fixed bed Ranger 520/4. All models feature a state of the art exterior body shell, cloaked in new impact resistant 3000 Series aluminium, that is supplied with a market leading six year integrity guarantee to provide long term peace of mind.


Interiors are enhanced with the introduction of new high quality furniture and flooring finishes plus the modern 'Mendip' soft furnishings scheme, supplied with both bolster and scatter cushions for extra comfort, to give the class-leading Ranger fresh appeal. Specifications remain exceptionally high for a tourer in this price bracket, with a Status 530 directional television aerial, a Thetford 107 litre refrigerator and the new Thetford C-250 cassette toilet now included as standard. Supplied with some of the lightest unladen weights available and at an unbeatable retail price, Series 6 continues to set the standards for a value for money caravan by providing owners with more for less.




### Ranger Series 6 Specification includes:


- Fully bonded exterior body shell with 6-Year integrity guarantee
- Fully insulated walls, floor and roof to grade II classification of EN1645-I (Panel thickness : Sides 28mm, Ceiling 31mm & Floor 44mm)
- NEW Impact resistant 3000 Series aluminium skin
- NEW Status 530 telescopic directional television aerial
- Truma 3002 3kw gas heater and supplementary 230v Ultraheat system with silent running night setting
- Truma Ultrastore water heater (gas/electric operation)
- NEW Swivel Thetford C-250 cassette toilet with integrated header tank

- **NEW** style Spinflo combined grill and domestic style glass fronted oven plus flame failure device
- Spinflo recessed 4-burner hob unit incorporating flush fitting glass hinged lid
- **NEW** Thetford 107 litre refrigerator with full width freezer compartment
- Spinflo recessed sink with clip on draining board and ceramic ball mixer tap
- NEW Bailey 'Pear' furniture veneer
- NEW Standard 'Mendip' soft furnishings with co-ordinating curtains, bolster and scatter cushions (2 bolsters & 2 scatters)
- NEW Split section loose fit drop in carpet
- Full size Heki II tilting sun roof



### Ranger Series 6 Range layouts








Ranger 460/4 (television shown for photographic purposes only and is not included in standard specification)



4 Berh

540/6

6 Berth



620/6



# **Ranger Series 6 Product specification**

#### EXTERIOR

Fully bonded exterior body shell with 6-Year integrity guarantee | Fully bonded flat roof panel providing additional headroom and overhead storage capacity at front and rear of caravan | Fully insulated walls, floor and roof to grade II classification of EN1645-I (Panel thickness Sides 28mm, Ceiling 31mm & Floor 44mm) | AL-KO galvanised steel chassis with Euro-axle | 14" wheels with low profile tyres | Gas strut assisted handbrake | Gas bottle locker with gas strut lid and compression door locks for ease of operation | Gas locker tray which accommodates all bottle types | Full height ABS rear panel with individual rear lights and integral grab handles | Twin section Hartel exterior door | Recessed awning light

NEW Impact resistant 3000 Series aluminium skin | Full height ABS front panel with high line profile and integral grab handles | New design step-up ABS A-Frame fairing | 13 pin DIN standard caravan connecting cable | Polyplastic full width graphite framed double glazed 'Panoramic' front window | Polyplastic graphite framed double glazed windows throughout | Status 530 telescopic directional television aerial | Design graphics scheme

#### ELECTRICAL SYSTEM

Conveniently located user friendly control panel | Conveniently located consumer unit with dedicated access panel | Mains electric with two 230v sockets | 12v internal lighting | TV station with 230v/12v/aerial socket | RCD/MCB protection for mains electric system | Switch mode battery charger with 20 amps output | 25 metre mains connecting lead

**NEW** New style 12v reading lights (model specific)

#### **HEATING & WATER SYSTEM**

Truma 3002 3kw gas heater and supplementary 230v Ultraheat system with silent running night setting | Truma Ultratherm and blown air distribution system | Truma Ultrastore water heater (gas/electric operation) | Truma 30 mbr gas regulator | Truma Crystal II water inlet and submersible pump | Inboard pressurised hot and cold fresh water system with reinforced hosing | Large bore rigid waste plumbing routed to side of tourer | Shower unit with ceramic ball mixer tap | Walk in plastic lined shower cubicle (model specific) | Washroom hand basin with ceramic ball mixer tap | Fully fitted vanity unit, wall mirrors doors | Vin no. etched to all exterior windows | Vin no. scribed in and integral storage | Washroom wall hooks

#### KITCHEN EQUIPMENT

Spinflo recessed 4-burner hob unit incorporating flush fitting glass hinged lid | Spinflo recessed sink with clip on draining board and ceramic ball mixer tap

**NEW** New style Spinflo combined grill and domestic style glass fronted oven plus flame failure device | Thetford 107 litre refrigerator with full width freezer compartment

#### **FURNITURE & SOFT FURNISHINGS**

Free standing table with dedicated storage | Side dinette occasional table (model specific) | Chest of drawers with fold over coffee table (model specific) | Pull out roller slatted bed | Alluminium fixed bed frames with sprung slats for extra comfort (model specific) | Storage liner under fixed double beds with exterior access door (model specific) | Seat and backrest ventilation boards | Hinged bed box slatted tops for easy access | Sculpted wooden bunk fall out rails | Solid partition doors to separate rear bedrooms (model specific) | Fully sprung upholstery (except split cushions used in bunk make up)

**NEW** Bailey 'Pear' furniture veneer | 'Woodblock' effect floor vinyl

Granite' effect kitchen worktop laminate | Floating fascia overhead locker system with split level storage and domestic style metal hinges | Full width overhead locker across the caravan front | Flush profile overhead locker doors | Re-engineered hinged bed box slatted tops for easy access | Domestic style washroom door with metal handle (model specific) | Premium quality fixtures and fittings in matt nickel | Twin curtain track for improved hanging and ease of use | Superior quality cushion construction with knee roll | Standard 'Mendip' soft furnishings with co-ordinating curtains, bolster and scatter cushions (2 bolsters & 2 scatters) Split section loose fit drop-in carpet

#### GENERAL EQUIPMENT

Remis flyscreen and sunblind to all principal windows | Full size Heki Il tilting sun roof | Clear roof lights in centre and rear of caravan (model specific) | Fitted doorwell mat

#### SECURITY

Selectamark electronic tagging | Single key operation on all exterior chassis member

NEW Swivel Thetford C-250 cassette toilet with integrated header tank



Main image: Ranger 460/4, Inset: Status 530 directional television aerial, Thetford C-250 cassette toilet, Thetford 107 litre refrigerator, Heki II tilting sunroof.

### Bed sizes

#### 380/2

Front Saloon 6'6" x 6'2" Or 2 @ 6'2" x 2'3"

#### 460/4

Front Saloon 6'6" x 4'4" Rear Double 6'3" x 4'6"

#### 500/5

Front Saloon 6'6" x 4'6" or 2 @ 5'10" x 2'3" Rear Double 6'7" x 4'1" & Rear O/Head 6'5" x 2'0'

#### 520/4

Front Saloon 6'6" x 5'0" or 2 @ 5'0" x 2'3" Rear Double 6'3" x 4'6"

#### 540/6

Front Saloon 6'6" x 5'5" or 1 @ 5'5" x 2'3" & 1 @ 5'10" x 2'3" 3 O/Side Singles 6'0" x 1'11" N/Side Single 5'7" x 2'5"

#### 620/6

Front Saloon 6'6" x 4'9" or 2 @ 6'2" x 2'3" O/Side Single 5'7" x 2'2" O/Side O/Head Single 5'5" x 2'0" Rear Double 6'3" x 4'6"



### Technical data

	380/2	460/4	500/5	520/4	540/6	620/6
Berths	2	4	5	4	6	6
Internal	<b>3.673m</b>	<b>4.661m</b>	<b>5.059m</b>	<b>5.477m</b>	<b>5.508m</b>	<b>6.244m</b>
Length	12'1"	15'4"	16'7"	18'0"	18'1"	20'6"
Shipping	<b>5.344m</b>	<b>6.332m</b>	<b>6.730m</b>	<b>7.148m</b>	<b>7.179m</b>	<b>7.915m</b>
Length	17'6"	20'9"	22'1"	23'5"	23'7"	26'0"
Overall	<b>2.19m</b>	<b>2.19m</b>	<b>2.19m</b>	<b>2.19m</b>	<b>2.19m</b>	<b>2.19m</b>
Width	7'2"	7'2"	7'2"	7'2"	7'2"	7'2"
Overall	<b>2.58m</b>	<b>2.58m</b>	<b>2.58m</b>	<b>2.58m</b>	<b>2.58m</b>	<b>2.58m</b>
Height	8'6"	8'6"	8'6"	8'6"	8'6"	8'6"
Internal	<b>1.90m</b>	<b>1.90m</b>	<b>1.90m</b>	<b>1.90m</b>	<b>1.90m</b>	<b>1.90m</b>
H'room	6'3"	6'3"	6'3"	6'3"	6'3"	6'3"
Awning	814m	914cm	953cm	995cm	998cm	1072cm
Tyre	<b>185/65</b>	<b>185/65</b>	<b>195/70</b>	<b>195/70</b>	<b>195/70</b>	<b>185/65</b>
Sizes	R14Ll93N	R14Ll93N	R14Ll96N	R14Ll96N	R14Ll96N	R14LI93N
MTPLM	<b>997kg</b>	<b>1208kg</b>	<b>1268kg</b>	<b>1282kg</b>	<b>1306kg</b>	<b>1522kg</b>
	19.6cwt	23.8cwt	25.0cwt	25.2cwt	25.7cwt	30.0cwt
MRO	<b>827kg</b>	<b>994kg</b>	<b>1044kg</b>	<b>1060kg</b>	1063kg	<b>1272kg</b>
	16.3cwt	19.6cwt	20.6cwt	20.9cwt	20.9cwt	25.0cwt
Payload Allwnce for Essnt Habt'n Equipment	<b>58kg</b> 1.1cwt	<b>68kg</b> 1.3cwt	<b>68kg</b> 1.3cwt	<b>68kg</b> 1.3cwt	<b>68kg</b> 1.3cwt	<b>68kg</b> 1.3cwt
Payload Allwnce for Personal Effects	<b>94kg</b> 1.9cwt	<b>124kg</b> 2.4cwt	<b>138kg</b> 2.7cwt	<b>132kg</b> 2.6cwt	<b>153kg</b> 3.0cwt	<b>160kg</b> 3.1cwt
Payload Allwnce for Optional Equipment	<b>18kg</b> 0.4cwt	<b>22kg</b> 0.4cwt	<b>18kg</b> 0.4cwt	<b>22kg</b> 0.4cwt	<b>22kg</b> 0.4cwt	<b>22kg</b> 0.4cwt
Total User Payload	<b>170kg</b> 3.3cwt	<b>214kg</b> 4.2cwt	<b>224kg</b> 4.4cwt	<b>222kg</b> 4.4cwt	<b>243kg</b> 4.8cwt	<b>250kg</b> 4.9cwt

A Tolerance in the MRO has been allowed for in the calculations of Payload Margins. The awning length measurement shown is to be interpreted as a guide only and enquiry should be made to individual awning manufacturers for the correct size. All data is calculated using metric weights & measurements. The imperial figures quoted are conversions thereof.





### Ranger Series 6

Ranger Series 6 and Ranger GT60 Series 6 are the first UK caravans to receive the FIRA Gold Award for product performance and reliability



### www.rangerseries6.co.uk

South Liberty Lane, Bristol BS3 2SS, England

This brochure does not constitute an offer by Bailey Caravans Ltd (Bailey). Bailey reserves the right to alter specifications and prices as market and supply conditions demand. Your Bailey retailer will confirm all specification details prior to you making your purchasing decision. E. & O. E. Bailey retailers sell our products of their own choice and not as agents of Bailey. Accordingly they have no authority to bind Bailey or to make any representation or undertaking whatsoever on behalf of Bailey. All household items illustrated in this brochure are used to enhance photography and are for display purposes only. They are not supplied with your touring caravan. Photographic colour reproduction is subject to the limitations of the production process.



Caravan bedding supplied by www.jonic-uk.co.uk



**Mixed Sources** 

roduct group from well-managed prests, controlled sources and cycled wood or fiber ww.fsc.org Cert no. SGS-COC-00488



80% Recycled paper








# Ranger GT60 Series 6

# Where comfort meets affordability







### Ranger GT60 Series 6 Where comfort meets affordability

Every Bailey caravan incorporates the design expertise that only sixty years of caravan manufacturing can bring. This know-how has culminated in the production of the new limited edition Ranger GT60 Series 6, a caravan range that brings a totally unique combination of comfort and affordability to the market.

The range consists of eight light weight layouts including the new single axle nearside fixed bed Ranger GT60 520/4. Models enjoy all of the benefits included in the standard Ranger products plus a number of substantial specification enhancements normally only found in more expensive products.

Outside these include, amongst others, 14" alloy wheels, an AL-KO AKS 3004 stabiliser and AL-KO shock absorbers to ensure you travel in safety and arrive in style. Whilst inside home comforts such as a microwave oven and a branded Radio/CD/MP3 player with iPod connectivity are also included as standard, making Ranger GT60 a very special caravan - available now at a very special price.




### Ranger GT60 Series 6 Specification includes:


- 14" Alloy wheels with low profile tyres
- AL-KO AKS 3004 Stabiliser
- AL-KO shock absorbers
- AL-KO chassis mounted spare wheel carrier and spare wheel (steel spare wheel)
- Three individually opening polyplastic graphite framed double glazed windows (in lieu of single panoramic front window)
- Twin section Hartel exterior door with double glazed window and blind plus moulded interior liner and integral waste bin

- Additional mains electric interior 230v socket (3 in total)
- Microwave oven
- Standard 'Malvern' soft furnishings with co-ordinating lined curtains, bolster and scatter cushions (2 bolsters & 2 scatters)
- Mini Heki roof light located over central kitchen
- Remis full length flyscreen to exterior door
- Branded Radio/CD/MP3 player with iPod/MP3 player connection point
- Branded dual cone stereo speakers for superior sound quality
- AL-KO Secure prepared Euro-axle featuring lock receiver plate with optional AL-KO Secure portable wheel lock



### Ranger GT60 Series 6 Range layouts







GT60 460/4













GT60 620/6



## Ranger GT60 Series 6 Product specification

The limited edition Ranger GT60 Series 6 models include the following additional items of equipment as standard (please refer to Ranger Series 6 information for full specification details)

#### EXTERIOR

14" Alloy wheels with low profile tyres | AL-KO AKS 3004 Stabiliser | AL-KO shock absorbers | AL-KO chassis mounted spare wheel carrier and spare wheel (steel spare wheel) | Three individually opening polyplastic graphite framed double glazed windows (in lieu of single panoramic front window) | Twin section Hartel exterior door with double glazed window and blind plus moulded interior liner and integral waste bin

#### ELECTRICAL SYSTEM

Additional mains electric interior 230v socket (3 in total)

#### HEATING & WATER SYSTEM

Bi-fold partition shower door in combination washrooms (model specific) | Additional washroom storage (model specific)

#### KITCHEN EQUIPMENT

Microwave oven | Nylon food grade chopping board | Washing up bowl

#### FURNITURE & SOFT FURNISHINGS

Standard 'Malvern' soft furnishings with co-ordinating lined curtains, bolster and scatter cushions (2 bolsters & 2 scatters)

#### GENERAL EQUIPMENT

Mini Heki roof light located over central kitchen | Remis full length flyscreen to exterior door | Branded Radio/CD/MP3 player with iPod/MP3 player connection point | Branded dual cone stereo speakers for superior sound quality

#### SECURITY

AL-KO Secure prepared Euro-axle featuring lock receiver plate with optional AL-KO Secure portable wheel lock

### Bed sizes

**GT60 380/2** Front Saloon 6'6" x 4'9" or 2 @ 6'2" x 2'3"

**GT60 460/2** Front Saloon 6'6" x 4'9" or 2 @ 6'2" x 2'3"

**GT60 460/4** Front Saloon 6'6" x 4'4" Rear Double 6'3" x 4'6"

#### GT60 500/5

Front Saloon 6'6" x 4'6" or 2 @ 5'10" x 2'3" Rear Double 6'7" x 4'1" & Rear O/Head 6'5" x 2'0'

#### GT60 510/4

Front Saloon 6'6" x 4'5" or 1 @ 5'10" x 2'3" & 1 @ 6'0" x 2'3" Side Single 5'11" x 2'2" O/Head Single 5'9" x 2'0'

#### GT60 520/4

Front Saloon 6'6" x 5'0" or 2 @ 5'0" x 2'3" Rear Double 6'3" x 4'6"

#### GT60 540/6

Front Saloon 6'6" x 5'5" or 1 @ 5'5" x 2'3" & 1 @ 5'10" x 2'3" 3 O/Side Singles 6'0" x 1'11" N/Side Single 5'7" x 2'5"

#### GT60 620/6

Front Saloon 6'6" x 4'9" or 2 @ 6'2" x 2'3" O/Side Single 5'7" x 2'2" O/Side O/Head Single 5'5" x 2'0" Rear Double 6'3" x 4'6"




Main image: Ranger GT60 620/6, Inset: 14" Alloy wheels, Microwave oven, AL-KO AKS hitch, Mini-Heki rooflight, Individually opening front windows, Branded Radio/CD/MP3 player, Additional 230v socket, AL-KO shock absorbers.

### Technical data

	GT60	380/2	460/2	460/4	500/5	510/4	520/4	540/6	620/6
	Berths	2	2	4	5	4	4	6	6
	Internal Length	<b>3.673m</b> 12'1"	<b>4.447m</b> 14'7"	<b>4.661m</b> 15'4"	<b>5.059m</b> 16'7"	<b>5.105m</b> 16'9"	<b>5.477m</b> 18'0"	<b>5.508m</b> 18'1"	<b>6.244m</b> 20'6"
	Shipping Length	<b>5.344m</b> 17'6"	<b>6.118m</b> 20'1"	<b>6.332m</b> 20'9"	<b>6.730m</b> 22'1"	<b>6.776m</b> 22'3"	<b>7.148m</b> 23'5"	<b>7.179m</b> 23'7"	<b>7.915m</b> 26'0"
	Overall Width	<b>2.19m</b> 7'2"							
	Overall Height	<b>2.58m</b> 8'6"							
	Internal H'room	<b>1.90m</b> 6'3"							
	Awning Size	814cm	892cm	914cm	953cm	958cm	995cm	998cm	1072cm
	Tyre Sizes	<b>185/65</b> R14LI93N	<b>185/65</b> R14Ll93N	<b>185/65</b> R14Ll93N	<b>195/70</b> R14Ll96N	<b>185/65</b> R14Ll93N	<b>195/70</b> R14Ll96N	<b>195/70</b> R14Ll96N	<b>185/65</b> R14LI93N
R. St. St.	MTPLM	<b>1058kg</b> 20.8cwt	<b>1177kg</b> 23.2cwt	<b>1252kg</b> 24.6cwt	<b>1316kg</b> 25.9cwt	<b>1281kg</b> 25.2cwt	<b>1326kg</b> 26.1cwt	<b>1350kg</b> 26.6cwt	<b>1566kg</b> 30.8cwt
	MRO	<b>901kg</b> 17.7cwt	<b>1002kg</b> 19.7cwt	<b>1055kg</b> 20.8cwt	<b>1105kg</b> 21.8cwt	1079kg 21.2cwt	<b>1121kg</b> 22.1cwt	<b>1124kg</b> 22.1cwt	<b>1333kg</b> 26.2cwt
	Payload Allwnce for Essnt Habt'n Equipment	<b>58kg</b> 1.1cwt	<b>68kg</b> 1.3cwt						
	Payload Allwnce for Personal Effects	<b>94kg</b> 1.9cwt	<b>102kg</b> 2.0cwt	<b>124kg</b> 2.4cwt	<b>138kg</b> 2.7cwt	<b>129kg</b> 2.5cwt	<b>132kg</b> 2.6cwt	<b>153kg</b> 3.0cwt	<b>160kg</b> 3.1cwt
	Payload Allwnce for Optional Equipment	<b>5kg</b> 0.1cwt							
	Total User Payload	<b>157kg</b> 3.1cwt	<b>175kg</b> 3.4cwt	<b>197kg</b> 3.9cwt	<b>211kg</b> 4.2cwt	<b>202kg</b> 4.0cwt	<b>205kg</b> 4.0cwt	<b>226kg</b> 4.4cwt	<b>233kg</b> 4.6cwt
	A Tolerance in	the MPO b	ac boon allo	wood for in t	ha calculat	ions of Paul	ood Margin	c Tho awnii	na lonath

A Tolerance in the MRO has been allowed for in the calculations of Payload Margins. The awning length measurement shown is to be interpreted as a guide only and enquiry should be made to individual awning manufacturers for the correct size. All data is calculated using metric weights & measurements. The imperial figures quoted are conversions thereof.





### Ranger GT60 Series 6

Ranger Series 6 and Ranger GT60 Series 6 are the first UK caravans to receive the FIRA Gold Award for product performance and reliability



### www.rangerseries6.co.uk

South Liberty Lane, Bristol BS3 2SS, England

This brochure does not constitute an offer by Bailey Caravans Ltd (Bailey). Bailey reserves the right to alter specifications and prices as market and supply conditions demand. Your Bailey retailer will confirm all specification details prior to you making your purchasing decision. E. & O. E. Bailey retailers sell our products of their own choice and not as agents of Bailey. Accordingly they have no authority to bind Bailey or to make any representation or undertaking whatsoever on behalf of Bailey. All household items illustrated in this brochure are used to enhance photography and are for display purposes only. They are not supplied with your touring caravan. Photographic colour reproduction is subject to the limitations of the production process.





Product photography in this brochure was shot on location at the following site: Bath Chew Valley Caravan Park, Ham Lane, Bishop Sutton, NE Somerset, BS39 5TZ. Tel: 01275 332127.



Jonic

Caravan bedding supplied by www.jonic-uk.co.uk







# Pageant Series 7


### Enjoy the five star experience











### Pageant Series 7 Enjoy the five star experience

Pageant has delivered over twenty years of award winning performance, which has seen it become the first choice of the discerning caravan owner.

The Series-7 line up features a comprehensive range of ten models, including the new Ardennes & Sancerre layouts, all of which are now built in a 7'6" wide fully bonded shell.

Outside models include the AL-KO ATC Trailer Control System as standard which, in conjunction with the AL-KO AKS 3004 stabiliser, will ensure that your new investment remains safe on the road.

Inside Italian styled furniture in contemporary new Bailey 'teak' wood veneer, combines with a choice of two luxurious Belgian fabric soft furnishing options, supplied with a full complement of bolster and scatter cushions, to give interiors the ultimate blend of style and comfort.

Packed with home comforts, including a new 115 litre Dometic refrigerator, a microwave oven and a branded stereo Radio/CD/MP3 player with iPod connectivity, Pageant Series 7 allows new owners to enjoy the five star experience without the five star price tag.



### Pageant Series 7 Specification includes:

- NEW 7'6" wide body shell
- NEW AL-KO ATC Trailer Control System
- AL-KO AKS 3004 Stabiliser
- NEW AL-KO shock absorbers
- AL-KO chassis mounted spare wheel carrier and spare wheel (steel spare wheel)
- Status 530 telescopic directional television aerial
- Mains electric with three interior and one exterior 230v sockets
- NEW Energy saving 12v LED pelmet lighting
- NEW Swivel Thetford C-250 cassette toilet with integrated header tank
- **NEW** Dometic 115 litre refrigerator with electronic ignition and detachable full width freezer compartment (capacity increases to 122 litres when freezer compartment is removed)

- Microwave oven
- NEW Contemporary 'Bailey Teak' furniture veneer
- NEW Folding leaf free standing table with independent dedicated storage
- **NEW** Superior quality Belgian upholstery fabrics and cushion construction
- NEW Standard 'Hilton' soft furnishings with co-ordinating curtains, bolster and scatter cushions (4 bolsters & 2 scatters)
- NEW Optional 'Savoy' soft furnishings with co-ordinating curtains, bolster and scatter cushions (4 bolsters & 2 scatters)
- NEW Branded Radio/CD/MP3 player with iPod/MP3 player connection point
- NEW Branded dual cone stereo speakers for superior sound quality
- AL-KO Secure prepared Euro-axle featuring lock receiver plate with optional AL-KO Secure portable wheel lock



### Pageant Series 7 Range layouts







Champagne



Burgundy









Bretagne



Loire







### Pageant Series 7 Product specification

#### EXTERIOR

Fully bonded exterior body shell with 6-Year integrity guarantee | Fully bonded flat roof panel providing additional headroom and overhead storage capacity at front and rear of caravan | Impact resistant 5000 Series aluminium skin | Fully insulated walls, floor and roof to grade II classification of EN1645-I (Panel thickness : Sides 28mm, Ceiling 31mm & Floor 44mm) | AL-KO galvanised steel chassis | Longer A-frame for additional on the road stability | AL-KO AKS 3004 Stabiliser | AL-KO chassis mounted spare wheel carrier and spare wheel (steel spare wheel) | Gas locker tray which accommodates all bottle types | Compression gas locker door locks for ease of operation | Polyplastic silver framed double glazed windows throughout | Twin section Hartel exterior door with double glazed window and blind plus moulded interior liner and integral waste bin | Recessed awning light | Status 530 telescopic directional television aerial

**NEW** 7'6" wide body shell | AL-KO ATC Trailer Control System | AL-KO shock absorbers | Two-way assisted handbrake | Large centrally mounted jockey wheel for ease of operation and additional stability | 13 pin DIN standard caravan connecting cable | Style 14" Alloy wheels with low profile tyres | Full height ABS front panel with high line profile and integral grab handles | Re-engineered gas bottle locker with larger aperture for improved access | Full height ABS rear panel with integral roof spoiler and twin high level brake lights and individual rear lights | Style ABS 'Step-Up' A-frame fairing | Design graphics scheme

#### ELECTRICAL SYSTEM

Conveniently located user friendly control panel | Conveniently located consumer unit with dedicated access door | Mains electric with three 230v sockets | Exterior 230v socket | 12v internal lighting | Pull cord washroom light operation | TV station with 230v/12v/aerial sockets | Switch mode battery charger with 20 amps output | RCD/MCB protection for mains electric system | 25 metre mains connecting lead

NEW Energy saving 12v LED pelmet lighting

#### HEATING & WATER SYSTEM

Truma 3002 3kw gas heater and supplementary 230v Ultraheat system with automatic ignition and silent running night setting | Truma Ultratherm and blown air distribution system with a minimum of three hot air ducts | Truma Ultrastore water heater (gas/electric operation) | Truma 30 mbr gas regulator | Whale Aqua smart II on-board water pump | Inboard pressurised hot and cold fresh water system with reinforced hosing | Large bore rigid waste plumbing routed to side of tourer | Shower unit with ceramic ball mixer tap | Walk in domestic size plastic shower cubicle (model specific) | Non-slip shower mat | Fully fitted vanity unit, wall mirrors and integral storage | Washroom wall hooks

NEW Swivel Thetford C-250 cassette toilet with integrated header tank Bi-fold partition shower door in combination washrooms (model specific) Re-located waist level water heater and space heater controls for convenience and safety (model specific)

#### KITCHEN EQUIPMENT

Spinflo recessed 4-burner hob unit incorporating flush fitting glass hinged lid | Spinflo combined grill and domestic style glass fronted oven with electronic ignition and flame failure device | Spinflo recessed sink with removable draining board and ceramic ball mixer tap | Microwave oven | Pull out kitchen storage baskets | Nylon food grade chopping board | Washing up bowl

**NEW** Dometic 115 litre refrigerator with electronic ignition and detachable full width freezer compartment (capacity increases to 122 litres when freezer compartment is removed) | Larger kitchen window for improved light and ventilation

#### FURNITURE & SOFT FURNISHINGS

Side dinette occasional table (model specific) | Chest of drawers with fold over coffee table (model specific) | Convenient storage shelf above main door | Pull out roller slatted bed | Alluminium fixed bed frames with sprung slats for extra comfort (model specific) | Storage liner under fixed double beds with exterior access door (model specific) | Seat and backrest ventilation boards | Sculpted wooden bunk fall out rails | Solid partition doors to separate rear bedrooms (model specific) | Fully sprung upholstery (except split cushions used in bunk make up) | Loose fit drop in carpets

NEW Contemporary 'Bailey Teak' furniture veneer | Floating fascia overhead locker system with split level storage and domestic style metal hinges | Flush profile Italian design overhead locker doors | Folding leaf free standing table with independent dedicated storage | Self supporting hinge sprung slatted bed box tops for easy access | Sprung bed box slats for extra comfort | Domestic style washroom door with metal handle (model specific) | 'Granite' effect kitchen work top laminate | Premium quality fixtures and fittings in matt nickel | Twin curtain track for improved hanging and ease of use | Superior quality Belgian upholstery fabrics and cushion construction | Standard 'Hilton' soft furnishings with coordinating curtains, bolster and scatter cushions (4 bolsters & 2 scatters) | Optional 'Savoy' soft furnishings with co-ordinating curtains, bolster and scatter cushions (4 bolsters & 2 scatters)

#### GENERAL EQUIPMENT

Omnivent dual action rooflight mounted extractor fan | Remis flyscreen and sunblinds to all principal windows | Remis flyscreen and sunblind to 4 way roof light in saloon | Remis full length flyscreen to exterior door | Full size Heki II tilting sunroof | Mini Heki roof light located over rear bedroom (model specific) | Fitted doorwell mat

**NEW** Branded Radio/CD/MP3 player with iPod/MP3 player connection point | Branded dual cone stereo speakers for superior sound quality

#### SECURITY

AL-KO Secure prepared Euro-axle featuring lock receiver plate with optional AL-KO Secure portable wheel lock | Selectamark electronic tagging | Single key operation on all exterior doors | Vin no. etched to all exterior windows | Vin no. scribed in chassis member



#### Bed sizes

Monarch

Front Saloon 6'10" x 4'10" Or 2 Singles @ 6'2" x 2'3"

#### Bordeaux

Front Saloon 6'10" x 4'10" Rear Double 6'4" x 4'6"

#### Champagne

Front Saloon 6'10" x 4'7" Or 1 Single @ 6'1" x 2'3" & 1 Single @ 5'11" x 2'3" O/Side Single 5'11" x 2'2" & O/Side O/Head Single 5'9" x 2'0"

#### Burgundy

Front Saloon 6'10" x 5'6" Rear Double 6'4" x 4'6"

#### Sancerre

Front Double 6'10" x 5'2" Rear Double 6'4" x 4'6"

#### Provence

Front Saloon 6'10" x 4'6" Or 1 Single @ 6'6" x 2'3" & 1 Single @ 5'10" x 2'3" Rear Double 6'8" x 4'6" Rear O/Head Single 6'7" x 2

#### Bretagne

Front Saloon 6'10" x 4'4" Or 2 Singles @ 5'8" x 2'3" 3 O/Side Singles @ 6'0" x 1'11 & 1 N/Side Single 5'7" x 2'6"

#### Loire

Front Saloon 6'10" x 4'4" Or 2 Singles @ 6'2" x 2'3" O/Side Single 5'7" x 2'2" O/Side O/Head Single 5'5" x 2'0" Rear Double 6'4" x 4'6"

#### Limousin

Front Saloon 6'10" x 4'6" Or 2 Singles @ 5'9" x 2'3" Rear Double 6'4" x 4'6"

#### Ardennes

Front Double 6'10" x 5'6" Or 1 @ 5'6" x 2'3" & 1 Single @ 5'10" x 2'3" O/S Double 6'3" x 4'2" Main image: Pageant Champagne. Inset: Branded Radio/CD/MP3 player with iPod connectivity, Dometic 115 litre refrigerator, Microwave oven, 14" Alloy wheels with low profile tyres.

## Technical data

)"		Monarch	Bordeaux	Champagne	Burgundy	Sancerre	Provence	Bretagne	Loire	Limousin	Ardennes
	Berths	2	4	4	4	4	5	6	6	4	4
	Internal Length	<b>4.831m</b> 15'10"	<b>4.831m</b> 15'10"	<b>5.438m</b> 17'10"	<b>5.608m</b> 18'5"	<b>5.608m</b> 18'5"	<b>5.608m</b> 18'5"	<b>5.608m</b> 18'5"	<b>6.244m</b> 20'6"	<b>6.244m</b> 20'6"	<b>6.244m</b> 20'6"
5	Shipping Length	<b>6.417m</b> 21'1"	<b>6.417m</b> 21'1"	<b>7.034m</b> 23'1"	<b>7.194m</b> 23'7"	<b>7.194m</b> 23'7"	<b>7.194m</b> 23'7"	<b>7.194m</b> 23'7"	<b>7.830m</b> 25'8"	<b>7.830m</b> 25'8"	<b>7.830m</b> 25'8"
	Overall Width	<b>2.28m</b> 7'6"									
	Overall Height	<b>2.58m</b> 8'6"									
	Internal H'room	<b>1.90m</b> 6'3"									
	Awning Size	930cm	930cm	991cm	1008cm	1008cm	1008cm	1008cm	1072cm	1072cm	1072cm
		<b>195/70</b> R14 LI96N	<b>195/70</b> R14 LI96N	<b>195/70</b> R14 LI96N	<b>185/</b> R14C LI104N	<b>185/</b> R14C LI104N	<b>185/</b> R14C LI104N	<b>185/</b> R14C LI104N	<b>185/65</b> R14 LI93N	<b>185/65</b> R14 LI93N	<b>185/65</b> R14 LI93N
x 2'0"	MTPLM	<b>1295kg</b> 25.5cwt	<b>1321kg</b> 26.0cwt	<b>1410kg</b> 27.8cwt	<b>1445kg</b> 28.4cwt	<b>1435kg</b> 28.2cwt	<b>1490kg</b> 29.3cwt	<b>1483kg</b> 29.2cwt	<b>1642kg</b> 32.3cwt	<b>1589kg</b> 31.3cwt	<b>1602kg</b> 31.5cwt
	MRO	<b>1118kg</b> 22.0cwt	<b>1124kg</b> 22.1cwt	<b>1207kg</b> 23.8cwt	<b>1225kg</b> 24.1cw	<b>1215kg</b> 23.9cw	<b>1275kg</b> 25.1cwt	<b>1258kg</b> 24.8cwt	<b>1412kg</b> 27.8cwt	<b>1378kg</b> 27.1cwt	<b>1391kg</b> 27.4cwt
" x 1'11" 2'6"	Payload Allwnce for Essnt Habt'n Equipment	<b>68kg</b> 1.3cwt									
33		<b>105kg</b> 2.1cwt	<b>125kg</b> 2.5cwt	<b>131kg</b> 2.6cwt	<b>133kg</b> 2.6cwt	<b>134kg</b> 2.6cwt	<b>143kg</b> 2.8cwt	<b>153kg</b> 3.0cwt	<b>159kg</b> 3.1cwt	<b>140kg</b> 2.8cwt	<b>140kg</b> 2.8cwt
	Payload Allwnce for Optional Equipment	<b>3kg</b> 0.1cwt	<b>3kg</b> 0.1cwt	<b>3kg</b> 0.1cwt	<b>18kg</b> 0.4cwt	<b>18kg</b> 0.4cwt	<b>3kg</b> 0.1cwt	<b>3kg</b> 0.1cwt	<b>3kg</b> 0.1cwt	<b>3kg</b> 0.1cwt	<b>3kg</b> 0.1cwt
311	Total User Payload	<b>176kg</b> 3.5cwt	<b>196kg</b> 3.9cwt	<b>202kg</b> 4.0cwt	<b>219kg</b> 4.3cwt	<b>220kg</b> 4.3cwt	<b>214kg</b> 4.2cwt	<b>224kg</b> 4.4cwt	<b>230kg</b> 4.5cwt	<b>211kg</b> 4.2cwt	<b>211kg</b> 4.2cwt







A Tolerance in the MRO has been allowed for in the calculations of Payload Margins. The awning length measurement shown is to be interpreted as a guide only and enquiry should be made to individual awning manufacturers for the correct size. All data is calculated using metric weights & measurements. The imperial figures quoted are conversions thereof.





### Pageant Series 7

For your safety Pageant Series 7 features the following items as standard specification:



AL-KO ATC Trailer Control system



# www.bailey-caravans.co.uk

South Liberty Lane, Bristol BS3 2SS, England



www.jonic-uk.co.uk



This brochure does not constitute an offer by Bailey Caravans Ltd (Bailey). Bailey reserves the right to alter specifications and prices as market and supply conditions demand. Your Bailey retailer will confirm all specification details prior to you making your purchasing decision. E. & O. E. Bailey retailers sell our products of their own choice and not as agents of Bailey. Accordingly they have no authority to bind Bailey or to make any representation or undertaking whatsoever on behalf of Bailey. All household items illustrated in this brochure are used to enhance photography and are for display purposes only. They are not supplied with your touring caravan. Photographic colour reproduction is subject to the limitations of the production process.

Bishop Sutton, NE Somerset, BS39 5TZ Tel: 01275 332127. Caravan bedding supplied by

Product photography in this brochure was

shot on location at the following site: Bath

Chew Valley Caravan Park, Ham Lane,



oplied by









# Senator Series 6

# A new dimension in comfort and practicality









### Senator Series 6 A new dimension in comfort and practicality

Incorporating the design expertise that has won numerous product awards in recent years, Senator is now firmly established as one of the most well-made and well-equipped touring homes available today.

The Series 6 line up features seven established layouts plus the all new California, a single axle fixed bed caravan with a tranverse end washroom. All models are built in a 7'6" wide fully bonded shell, supplied with a six year integrity guarantee, to provide an extra dimension in comfort and practicality.

Outside models now feature the latest AL-KO ATC Trailer Control system and a TRACKER Monitor Stolen Vehicle Recovery system which, combined with the AL-KO AKS 3004 stabiliser and the AL-KO Secure portable wheel lock, will ensure that your new investment remains both safe on the road and secure on site.

Inside the interior décor featuring a choice of three contrasting soft furnishing options and premium quality fixtures and fittings in matt nickel, has been expertly refined to give Senator that unmistakable touch of class. Whilst a five star equipment manifesto is further enhanced with the introduction of the latest Dometic 115 litre refrigerator with a removable freezer compartment and a state of the art home entertainment system featuring a Radio/CD/MP3/DVD player and a remote control 16" flat screen digital television.

So if you require the very best in touring home design, supplied at a competitive retail price, then there is simply no better choice than Senator.



### Senator Series 6 Specification includes:

- NEW AL-KO ATC trailer control system
- **NEW** Style 14" alloy wheels with low profile tyres
- NEW AL-KO shock absorbers
  (only on models manufactured after September 2008)
- AL-KO AKS 3004 stabilser
- **NEW** Twin section Hartel exterior door with double glazed window and blind plus moulded interior liner and integral waste bin
- NEW Full height Hartel pleated door blind
- NEW Energy saving 12v LED pelmet strip lighting
- NEW Swivel electric flush Thetford C-250 cassette toilet with integrated header tank
- NEW Dometic 115 litre refrigerator with electronic ignition and

detachable full width freezer compartment (fridge capacity increases to 122 litres when freezer compartment is removed)

- NEW Folding leaf free standing table with dedicated storage
- NEW Premium quality co-ordinated fixtures and fittings in matt nickel
- NEW Standard 'Blenhiem' soft furnishings with co-ordinating lined curtains and shaped arm rests
- NEW Optional 'Chatsworth' soft furnishings with co-ordinating lined curtains and shaped arm rests
- NEW Optional 'Sandringham' soft furnishings with co-ordinating lined curtains and shaped arm rests
- NEW Radio/CD/MP3/DVD player
- NEW Remote control 16" flat screen digital television
- NEW TRACKER Monitor Stolen Vehicle Recovery system (including first 12 months subscription fee)
- TRACKER alarm
- AL-KO Secure portable wheel lock

# Senator soft furnishings:



Standard Blenhiem upholstery



Optional Chatsworth upholstery




Sandringham upholstery



## Senator Series 6


Range layouts






















6 Berth



### Senator Series 6 Product specification

#### EXTERIOR

Fully bonded exterior body shell with 6-Year integrity guarantee | AL-KO galvanised chassis with Euro-axle | AL-KO AKS 3004 Stabiliser | Gas strut assisted handbrake | AL-KO chassis mounted spare wheel carrier and spare wheel (steel spare wheel) | AL-KO caravan jack | Fully insulated walls, floor and roof to grade II classification of EN1645-I (Panel thickness : Sides 28mm, Ceiling 31mm & Floor 44mm) | Full height ABS front panel with high line profile and integral grab handles | Gas bottle locker with gas strut assisted door | Gas locker courtesy light | Truma 30mbr gas regulator | Full height ABS rear panel with integral light cluster and integral grab handles | Individual rear light units | External gas barbeque point | Exterior 230v mains socket | Flush fit awning light | Status telescopic directional television aerial

**NEW** Impact resistant 5000 Series smooth finish aluminum skin | AL-KO ATC trailer control system | Style 14" alloy wheels with low profile tyres | AL-KO shock absorbers (only on models manufactured after September 2008) | Twin section Hartel exterior door with double glazed window and blind plus moulded interior liner and integral waste bin | Polyplastic silver framed double glazed windows throughout | Design ABS step up A-frame fairing | Re-engineered gas bottle locker tray which accommodates all bottle types | Design graphics scheme

#### ELECTRICAL SYSTEM

Mains electric with three 230v sockets | TV station with 230v/12v/aerial sockets (model specific) | Switch mode battery charger with 20 amps output | RCD/MCB protection for mains electric system | 25 metre mains connecting lead

**NEW** 12v bespoke internal light fittings | Energy saving 12v LED pelmet strip lighting

#### **HEATING & WATER SYSTEM**

Truma 3002 3kw gas heater and supplementary 230v Ultraheat system with automatic ignition and silent running night setting | Truma Ultratherm and blown air distribution system | Truma Ultrastore water heater (gas/electric operation) | Onboard water tank (Capacity 30 litres) | Inboard pressurised hot and cold fresh water system with reinforced hosing | Large bore rigid waste plumbing routed to side of tourer | Shower unit with ceramic ball mixer tap | Walk in domestic style plastic shower cubicle (model specific) | Bi-fold partition shower door in combination washrooms (model specific | Non-slip shower mat | Fully fitted vanity unit, wall mirrors and integral storage

**NEW** Re-located Whale Aqua smart II on-board water pump with easy control access | Swivel electric flush Thetford C-250 cassette toilet with integrated header tank | Additional washroom storage furniture | Heated towel rail

#### KITCHEN EQUIPMENT

Spinflo recessed 4-burner hob unit incorporating flush fitting glass hinged lid | Spinflo combined grill and domestic style glass fronted oven with electronic ignition and flame failure device | Spinflo recessed sink with clip on draining board and ceramic ball mixer tap | Microwave oven | Washing up bowl

**NEW** Dometic 115 litre refrigerator with electronic ignition and detachable full width freezer compartment (fridge capacity increases to 122 litres when freezer compartment is removed) | Nylon food grade chopping board

#### FURNITURE & SOFT FURNISHINGS

Side dinette occasional table (model specific) | Chest of drawers with fold over coffee table (model specific) | Aircraft Style overhead storage lockers with full size curved locker doors and domestic style metal hinges | Domestic style washroom door and handle (model specific) | Pull out roller slatted bed | Sculpted wooden bunk fall out rails | Fully sprung upholstery (except split cushions used in bunk make up) | Loose fit drop in carpets

**NEW** Folding leaf free standing table with dedicated storage | Seat and backrest ventilation boards | Self supporting hinge sprung slatted bed box tops for easy access | Sprung bed box slats for extra comfort | Pull out drawer unit under front nearside bed box (model specific) | Re-engineered soft shut drawers units | 'Graphite' kitchen work top laminate | Pull out kitchen basket unit | Premium quality co-ordinated fixtures and fittings in matt nickel | Twin curtain track for improved hanging and ease of use | Superior quality upholstery fabrics and cushion construction | Standard 'Blenhiem' soft furnishings with co-ordinating lined curtains and shaped arm rests | Optional 'Chatsworth' soft furnishings with co-ordinating with co-ordinating lined curtains and shaped arm rests

#### GENERAL EQUIPMENT

Mini-Heki sun roof located over rear bedroom (model specific) | Omnivent dual action rooflight mounted extractor fan | Remis flyscreen and sunblinds to front windows | Fitted doorwell mat | Analogue clock

NEW Heki II tilting sunroof with ceiling lighting surround | Remis flyscreen and pleated sunblind to all side and rear windows | Full height Hartel pleated door blind | Radio/CD/MP3/DVD player | Remote control 16" flat screen digital television | Rotating flat screen television display stand (model specific)

#### SECURITY

AL-KO Secure portable wheel lock | Selectamark electronic tagging (2 tags) | Vin no. etched to all exterior windows | Vin no. scribed in chassis member

**NEW** TRACKER Monitor Stolen Vehicle Recovery system (including first 12 months subscription fee) | TRACKER alarm | High security exterior door lock (single key operation on all other doors)



Main image: Senator Arizona. Inset: AL-KO ATC Trailer Control System, Radio/CD/MP3/DVD player, Dometic 115 litre refrigerator, Full height Hartel pleated door blind.

### Bed sizes

#### Vermont

Front Saloon 6'10" x 4'7" Or 2 @ 6'2" x 2'3"

#### Arizona

Front Saloon 6'10" x 4'8" Or 2 @ 6'3" x 2'3" O/Side Single 5'11" x 2'2" & O/Side O/Head Single 5'9" x 2'0"

#### Indiana

Front Saloon 6'10" x 4'0" Or 1 N/S Single @ 5'7" x 2'3" & 1 O/S Single @ 5'9" x 2'3" Rear Double 6'4" x 4'6"

#### Virginia

Front Saloon 6'10" x 4'5" Rear Double 6'4" x 4'6"

#### California

Front Saloon 6'10" x 5'3" Or 1 N/S Single @ 5'8" x 2'3" & 1 O/S Single @ 5'3" x 2'3" Rear Double 6'4" x 4'6"

#### Wyoming

Front Saloon 6'10" x 4'2" Or 1 N/S Single @ 5'9" x 2'3" & 1 O/S Single @ 6'1" x 2'3" Rear Double 6'4" x 4'6"

#### Louisiana

Front Saloon 6'10" x 4'5" Or 1 N/S Single @ 6'0" x 2'3" & 1 O/S Single @ 6'1" x 2'3" Rear Double 6'4" x 4'6"

#### Carolina

Front Saloon 6'10" x 4'7" or 2 Singles @ 6'2" x 2'3" 3 O/S Singles @ 6'2" x 1'11 & 1 N/S Single @ 5'11" x 2'6"





### Technical data

		Vermont	Arizona	Indiana	Virginia	California	Wyoming	Louisiana	Carolina
	Berths	2	4	4	4	4	4	4	6
P	Internal Length	<b>4.992m</b> 16'3"	<b>5.608m</b> 18'5"	<b>5.608m</b> 18'5"	<b>5.608m</b> 18'5"	<b>5.608m</b> 18'5"	<b>6.400m</b> 21'1"	<b>6.400m</b> 21'1"	<b>6.400m</b> 21'1"
	Shipping Length	<b>6.508m</b> 21'5"	<b>7.194m</b> 23'7"	<b>7.194m</b> 23'7"	<b>7.194m</b> 23'7"	<b>7.194m</b> 23'7"	<b>7.890m</b> 25'11"	<b>7.890m</b> 25'11"	<b>7.890m</b> 25'11"
	Overall Width	<b>2.28m</b> 7'6"	<b>2.28m</b> 7'6"	<b>2.28m</b> 7'6"	<b>2.28m</b> 7'6"	<b>2.28m</b> 7'6"	<b>2.28m</b> 7'6"	<b>2.28m</b> 7'6"	<b>2.28m</b> 7'6"
5.1	Overall Height	<b>2.58m</b> 8'6"	<b>2.58m</b> 8'6"	<b>2.58m</b> 8'6"	<b>2.58m</b> 8'6"	<b>2.58m</b> 8'6"	<b>2.58m</b> 8'6"	<b>2.58m</b> 8'6"	<b>2.58m</b> 8'6"
NEVER WORKSHIP	Internal H'room	<b>1.90m</b> 6'3"	<b>1.90m</b> 6'3"	<b>1.90m</b> 6'3"	<b>1.90m</b> 6'3"	<b>1.90m</b> 6'3"	<b>1.90m</b> 6'3"	<b>1.90m</b> 6'3"	<b>1.90m</b> 6'3"
	Awning Size	940cm	1009cm	1009cm	1009cm	1009cm	1088cm	1088cm	1088cm
		<b>195/70</b> R14Ll96	<b>185</b> R14Ll104	<b>185</b> R14Ll104	<b>185</b> R14Ll104	<b>185</b> R14Ll104	<b>185/65</b> R14LI93N	<b>185/65</b> R14Ll93N	<b>185/65</b> R14LI93N
-	MTPLM	<b>1392kg</b> 27.4cwt	<b>1500kg</b> 29.5cwt	<b>1500kg</b> 29.5cwt	<b>1495kg</b> 29.4cwt	<b>1495kg</b> 29.4cwt	<b>1678kg</b> 33.0cwt	<b>1686kg</b> 33.2cwt	<b>1759kg</b> 34.6cwt
	MRO	<b>1183kg</b> 23.3cwt	<b>1264kg</b> 24.9cwt	<b>1264kg</b> 24.9cwt	<b>1259kg</b> 24.8cwt	<b>1259kg</b> 24.8cwt	<b>1435kg</b> 28.2cwt	<b>1443kg</b> 28.4cwt	<b>1496kg</b> 29.4cwt
	Payload Allwnce for Essnt Habt'n Equipment	<b>88kg</b> 1.7cwt	<b>88kg</b> 1.7cwt	<b>88kg</b> 1.7cwt	<b>88kg</b> 1.7cwt	<b>88kg</b> 1.7cwt	<b>88kg</b> 1.7cwt	<b>88kg</b> 1.7cwt	<b>88kg</b> 1.7cwt
		<b>106kg</b> 2.1cwt	<b>133kg</b> 2.6cwt	<b>133kg</b> 2.6cwt	<b>133kg</b> 2.6cwt	<b>133kg</b> 2.6cwt	<b>140kg</b> 2.8cwt	<b>140kg</b> 2.8cwt	<b>160kg</b> 3.1cwt
	Payload Allwnce for Optional Equipment	<b>15kg</b> 0.3cwt	<b>15kg</b> 0.3cwt	<b>15kg</b> 0.3cwt	<b>15kg</b> 0.3cwt	<b>15kg</b> 0.3cwt	<b>15kg</b> 0.3cwt	<b>15kg</b> 0.3cwt	<b>15kg</b> 0.3cwt
W.	Total User Payload	<b>209kg</b> 4.1cwt	<b>236kg</b> 4.6cwt	<b>236kg</b> 4.6cwt	<b>236kg</b> 4.6cwt	<b>236kg</b> 4.6cwt	<b>243kg</b> 4.8cwt	<b>243kg</b> 4.8cwt	<b>263kg</b> 5.2cwt

A Tolerance in the MRO has been allowed for in the calculations of Payload Margins. The awning length measurement shown is to be interpreted as a guide only and enquiry should be made to individual awning manufacturers for the correct size. All data is calculated using metric weights & measurements. The imperial figures quoted are conversions thereof.





### Senator Series 6

For your safety Senator Series 6 features the following items as standard specification:



AL-KO ATC Trailer Control system



AL-KO AKS Stabiliser

# www.bailey-caravans.co.uk

South Liberty Lane, Bristol BS3 2SS, England





This brochure does not constitute an offer by Bailey Caravans Ltd (Bailey). Bailey reserves the right to alter specifications and prices as market and supply conditions demand. Your Bailey retailer will confirm all specification details prior to you making your purchasing decision. E. & O. E. Bailey retailers sell our products of their own choice and not as agents of Bailey. Accordingly they have no authority to bind Bailey or to make any representation or undertaking whatsoever on behalf of Bailey. All household items illustrated in this brochure are used to enhance photography and are for display purposes only. They are not supplied with your touring caravan. Photographic colour reproduction is subject to the limitations of the production process.

Product photography in this brochure was shot on location at the following Caravan Club site: Hurn Lane Caravan Club Site (members only), Burnham-On-Sea, Somerset. Tel: 01278 751412



Jonic



Caravan bedding supplied by www.jonic-uk.co.uk